

Navy and Marine Corps Public Health Center
Sexual Health and Responsibility Program (SHARP)
SHARP and SHARP-Adopted HP 2010 Goals (updated 12/17/2009)



Sexual Health Objective (and HP2010 Objective Number)	HP2010 Target	U.S. Baseline and DoN Status	SHARP target	DoD/DoN Requirement
Family Planning				
9-1. Increase the proportion of pregnancies that are intended	70%	U.S.-2001 = 53% USN enlisted-2008 = 36% USN officer-2008 = 70% USMC data not available	70%	supports MANMED (page 15-69)
9-3: Increase the proportion of females at risk of unintended pregnancy (and their partners) who use contraception	100%	U.S.-1995=93%. (note: USN 2008=69% of women with UIP did not use contraception)	100%	supports MANMED (page 15-69)
9-5: Increase the proportion of family planning agencies that offer emergency contraception (ec)	90%	Note: By policy, EC is available in 100% of Navy MTFs. In 2005, 31% of Navy women and 15% of Navy men were aware of EC at MTFs	100%	MANMED (page 15-69)
9-6c. Increase the proportion of unmarried males aged 15-24 years receiving advice or counseling from a doctor or other medical care provider about using methods of birth control, including condoms.	37%	U.S.-2002 = 21%. DoN=unknown.	37%	DoDI 1010.10 (Health Promotion and HP 2010)
HIV				
13-5: Reduce the number of new cases of HIV/AIDS diagnosed among adolescents and adults	developmental	U.S.=developmental USN-2008 = 86 (36/100K) USMC-2008 = 16 (13/100K)	8 per 100K	DoDI 6485.1; SECNAVINST 5300.30
13-6: Increase the proportion of sexually active adults who use condoms	50%	NSFG 2002 never married, not cohab. = 64.9%, NSFG 2002 formerly married, not cohab. = 42.2%. Am College Hlth Assess. 2006 = 52.1%. Navy unmarried 2008 = 45.5% . USMC unmarried 2008 = 41.1%	50%	supports BUMED Inst 6222.10
STD Prevention				
25-1a-c: Reduce the proportion of adolescents and young adults with Chlamydia trachomatis infections.	3%	U.S.-2008=401.3/100K (men=211.1; women=583.3) USN-2008=2020 cases (604.7/100K) USMC-2008=1076 cases (598.1/100K)	3% (3000/100K)	OPNAVINST 6120.3
25-2a: Reduce incidence of Gonorrhea	19 per 100K	U.S.-2008=111.6/100K (men=103; women=119.4) USN-2008=266 cases (79.6/100K) USMC-2008=182 cases (99.6/100K)	19 per 100K	supports BUMED Inst 6222.10
25-2b: Reduce the incidence of Gonorrhea among females aged 15-44 (also GPRA Goal 1c with target of 250)	42 per 100K	US 2007=290 USN 2008= 150.5 USMC-2008= 236.7	42 per 100k	supports BUMED Inst 6222.10
25-3: Eliminate sustained domestic transmission of primary and secondary Syphilis	CDC's SEE goal = 2.2 per 100K by 2010 (CDC-Div STD Prev goals = <0.9 in women and <5.4 in men)	U.S.-2008=4.5/100K Navy-2008=41 cases/12.3/100K USMC-2008=11 cases/6.0/100K	2.2 per 100K	supports BUMED Inst 6222.10
25-16: Increase proportion of sexually active females aged 25 and under screened annually for genital Chlamydia infections.	62%	Navy MTFs 2008 (enrolled active duty patients aged 17-26) = 66% ; HEDIS 2007 (ages 16-25) 90%ile: commercial= 35.22% medicaid = 59.42%	developmental	SECNAVINST 6120.3
(1-3) Increase proportion of providers who assess sexual risk behavior during routine outpatient encounters	STDs: "developmental" Pregnancy: 50%	U.S. range: 28-50%	90%	SECNAVINST 6120.3; Tricare/CHAMPUS Policy manual 6010.47 M